

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	5415	("370"/\$).ccls. and shift adj1 register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 04:58
L3	3054	2 and counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 04:32
L4	3771	2 and (multiplex\$ mux)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 04:33
L5	921	2 and (multiplexer?)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 04:34
L6	852	5 and @ay<"2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 04:54
L7	534	6 and reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 04:54
L8	342	("370"/\$).ccls. and (shift adj1 register) same (parallel same serial) and (mux multiplexer?)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 05:56
L9	330	8 and @ay<"2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 05:00
L10	246	9 and reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 05:00
L11	0	("370"/\$).ccls. and (parallel adj serial) adj (shift adj1 register) same multiplexer?	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 05:46

L12	21	("370"/\$).ccls. and (parallel adj serial) adj (shift adj1 register) and multiplexer?	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 05:48
L14	16	("370"/\$).ccls. and (serial\$parallel) adj (shift adj1 register) and multiplexer?	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 05:49
L15	14	("370"/\$).ccls. and (serial\$parallel) adj (shift adj1 register) and multiplexer? and reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 06:18
L16	42	(DS0 DS-0) near grooming and @ay<"2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 06:51
L17	35	two\$1level adj (multiplex\$ mux)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:11
L18	1	two\$1level adj (multiplex\$ mux) and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 06:54
L19	68	M13 adj1 (multiplex\$ mux)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:02
L21	846	counter and de\$1multiplexer and multiplexer and ((serial\$parallel) (serial adj parallel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:01
L22	837	21 and @ad<"20050125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:06
L23	782	22 and clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:37

L24	6646	parallel adj1 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:37
L25	62	M13 adj1 (multiplex\$ mux) and (block non-block\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:04
L26	14	M13 adj1 (multiplex\$ mux) and (blocking non-blocking)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:39
L27	2	M13 adj1 (multiplex\$ mux) and (blocking non-blocking) and reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:58
L28	120	M13 and (blocking non-blocking) and reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:40
L29	118	28 and @ad<"20050125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:40
L30	25	29 and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:41
L31	0	M13 adj1 (multiplex\$ mux) and (blocking non-blocking) and reset adj1 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:59
L32	52	M13 and (blocking non-blocking) and reset adj1 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:59
L33	8	M13 and non-blocking and reset adj1 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:04

L34	761	multiplexer and reset adj1 signal and @ay<"2002" and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:05
L35	31	multiplexer.ti. and reset adj1 signal and @ay<"2002" and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:05
S1	0	hoang-brian.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:52
S2	1297	("370"/\$).ccls. and parallel adj (processor processing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:54
S3	55	S2 and (second\$3 slow\$) adj clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 04:56
S4	15296	"2" and step\$down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 04:56
S5	1297	("370"/\$).ccls. and parallel adj (processor processing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 04:57
S6	1	S5 and step\$down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 04:57
S7	2961	(multiplexer multiplexor mux) same register and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 08:18
S8	2612	S7 and @ad < "20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 08:17

S9	1025	S7 and @ay<"1990"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 08:18
S10	692	(de\$1multiplexer de\$1multiplexor de\$1mux) same register and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 08:19
S11	577	(de\$1multiplexer de\$1multiplexor de\$1mux) and (multiplexer multiplexor mux) and register and clock and ("370"/\$).ccls. and @ay<"1990"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 08:23
S12	901	sequencer and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 08:38
S13	12	sequencer.ti. and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 08:24
S14	548	sequencer and register and clock and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 10:42
S16	481	S14 and @ad<"20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:49
S17	1536	multiplexer and circular adj (memory buffer queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 08:02
S18	116	(de-multiplexer demultiplexer demux de-mux) and circular adj (memory buffer queue) and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 12:13
S19	2	("6101198").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 08:16

S20	300	(de-multiplex\$3 demultiplex\$3 demux de-mux) and (parallel adj1 process\$3) and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 08:35
S21	40	(de-multiplex\$3 demultiplex\$3 demux de-mux) same (parallel adj1 process\$3) and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 08:35
S22	8	(de-multiplexer demultiplexer demux de-mux) same circular adj (memory buffer queue) and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 12:41
S24	99	circular adj (memory buffer queue) same port and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 12:43
S25	12	(de-multiplexer demultiplexer demux de-mux) and (circular adj (memory buffer queue)) same port and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 13:00
S27	99	(circular adj (memory buffer queue)) same port and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 13:01
S28	0	S27 and @ad<"2000125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 13:01
S29	85	S27 and @ad<"20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 13:01
S30	2	("6628679").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 08:41
S31	554	multiplexer and groom\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 08:42

S32	142	multiplexer? and groom\$3 and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 08:47
S33	108	S32 and @ad<"20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 08:43
S34	24	multiplexer? same groom\$3 and ("370"/\$).ccls. and @ad<"20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 09:06
S35	0	"M0/1" adj1 multiplexer? and ("370"/\$).ccls. and @ad<"20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 08:54
S36	19	multiplexer? and DS0 adj1 groom\$3 and ("370"/\$).ccls. and @ad<"20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 09:07
S37	284	sequencer same clock and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 10:43
S38	268	sequencer same clock and ("370"/\$).ccls. and @ad<"20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 10:47
S39	19593	sequencer.ti. clock and ("370"/\$).ccls. and @ad<"20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 10:47
S40	9	sequencer.ti. and clock and ("370"/\$).ccls. and @ad<"20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 10:52
S41	179	sequencer and clock\$ same latch\$ and ("370"/\$).ccls. and @ad<"20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 10:55

S42	729	timing adj1 generator and ("370"/\$).ccls. and @ad<"20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 11:03
S43	5	"timing generator".ti. and ("370"/\$).ccls. and @ad<"20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 11:03